Product Portfolio 2020



WD 290/WD 390

Racks and Accessories



ARTICLE NUMBER	ARTICLE
RACKS FOR INSTRUMENTS	
109-3683	Rack Instruments 1 Level
	Rack for Inserts
-	 Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 60 mm
	Loading capacity 3 standard trays (L x W = 485 x 260 mm) Level height H = 610 mm Recommended loading height per level H = 600 mm
647457	Rack Instruments 2 Level
	Rack for Instruments and Inserts
	 Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 393 mm 2 possible connections for additional manifolds Fast and toolless wash arm cleaning
	Loading capacity
	6 standard trays (L x W = 485 x 260 mm)Level height H = 282 mm
	Recommended loading height per level H = 270 mm
647456	Rack Instruments 3 Level
	Rack for Instruments
	 Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 505 mm 4 possible connections for additional manifolds Fast and toolless wash arm cleaning
1	Loading capacity
	 9 standard trays (L x W = 485 x 260 mm) Level height H = 172 mm
The state of the s	Recommended loading height per level H = 160 mm
647455	Rack Instruments 4 Level
125	Rack for Instruments
1	Compatible with WD 290/WD 390 Dimensional will Will 1750 v. 610 v. 650 mm.
	 Dimensions L x W x H = 750 x 610 x 560 mm 6 possible connections for additional manifolds
and the same of	Fast and toolless wash arm cleaning
	Loading capacity
	 12 standard trays (L x W = 485 x 260 mm) Level height H = 116 mm
5.00	Recommended loading height per level H = 105 mm
647454	Rack Instruments 5 Level
200	Rack for Instruments
	 Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 580 mm 8 possible connections for additional manifolds Fast and toolless wash arm cleaning
	Loading capacity
	15 standard trays (L x W = 485 x 260 mm)Level height H = 83 mm
	Recommended loading height per level H = 70 mm

ARTICLE NUMBER

ARTICLE

RACKS FOR INSTRUMENTS

647452

Rack Instruments 6 Level



- Compatible with WD 290/WD 390
- Dimensions L x W x H = 750 x 610 x 612 mm
- 10 possible connections for additional manifolds
- Fast and toolless wash arm cleaning

Loading capacity

- 18 standard trays (L x W = $485 \times 260 \text{ mm}$)
- Level height H = 61 mm
- Recommended loading height per level H = 50 mm

ADAPTABLE RACKS FOR INSTRUMENTS

109-2984

Rack Instruments 4 Level Adaptable

Rack for Instruments

- Compatible with WD 290/WD 390
- Dimensions L x W x H = 750 x 610 x 560 mm • 6 possible connections for additional manifolds
- Fast and toolless wash arm cleaning
- 2 removable levels

Loading capacity

- 12 standard trays (L x W = 485 x 260 mm)
 Level height H = 116 mm/282 mm/448 mm
- Recommended loading height per level H = 105 mm/270 mm/435 mm

647232

Rack Instruments 5 Level Adaptable







- Dimensions L x W x H = 750 x 610 x 580 mm
- 8 possible connections for additional manifolds
- Fast and toolless wash arm cleaning
- 2 removable levels

Loading capacity

- 15 standard trays (L x W = 485 x 260 mm)
- Level height H = 83 mm/215 mm
- Recommended loading height per level H = 70 mm/205 mm



ARTICLE
ENTS
Rack Instruments 2 Level ECO
Rack for Instruments and Inserts
 Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 485 mm Minimal water consumption Loading capacity 6 standard trays (L x W = 485 x 260 mm)
 Level height H = 293 mm Recommended loading height per level H = 280 mm
Rack Instruments 3 Level ECO
Rack for Instruments Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 495 mm 2 possible connections for ECO side manifold Minimal water consumption Loading capacity
 9 standard trays (L x W = 485 x 260 mm) Level height H = 180 mm Recommended loading height per level H = 170 mm
Rack Instruments 4 Level ECO
Rack for Instruments Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 550 mm 2 possible connections for ECO side manifold Minimal water consumption Loading capacity 12 standard trays (L x W = 485 x 260 mm) Level height H = 127 mm Recommended loading height per level H = 115 mm
Rack Instruments 5 Level ECO
Rack for Instruments Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 584 mm 2 possible connections for ECO side manifold Minimal water consumption Loading capacity 15 standard trays (L x W = 485 x 260 mm) Level height H = 94 mm Recommended loading height per level H = 80 mm
Rack Instruments 6 Level ECO
Rack for Instruments Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 605 mm 2 possible connections for ECO side manifold Minimal water consumption Loading capacity 18 standard trays (L x W = 485 x 260 mm) Level height H = 70 mm Recommended loading height per level H = 60 mm

ARTICLE NUMBER ARTICLE **RACKS FOR CONTAINERS** 870010 Rack Containers/Instruments 2 Level Rack for Containers and Instruments Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 580 mm Includes spheric jets for interior cleaning of containers Loading capacity • 3 DIN containers (L x W x H = $600 \times 300 \times 150 \text{ mm}$) with one-part lids • 6 standard trays (\dot{L} x W = 485 x 260 mm) Level height H = 100 mm Recommended loading height per level H = 90 mm 646733 Rack Containers 1 Level Rack for large Containers Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 330 mm • Includes spheric jets for interior cleaning of containers Loading capacity 4 DIN containers (L x W x H = 600 x 300 x 300 mm) with one-part lids 870030-3 **Rack Containers One-Part Lid** Rack for Containers with One-Part Lids Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 538 mm • Includes spheric jets for interior cleaning of containers Loading capacity • 5 DIN containers (L x W x H = 600 x 300 x 150 mm) with one-part lids • 1 DIN container (L x W x H = $600 \times 300 \times 150 \text{ mm}$) with one-part lid 2 DIN containers (L x W x H = 600 x 300 x 300 mm) with one-part lids **Rack Containers Two-Part Lid** 870008-3 Rack for Containers with Two-Part Lids Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 538 mm Includes spheric jets for interior cleaning of containers Loading capacity • 5 DIN containers (L x W x H = 600 x 300 x 150 mm) with two-part lids • 1 DIN container (L x W x H = 600 x 300 x 150 mm) with two-part lid • 2 DIN containers (L x W x H = $600 \times 300 \times 300 \text{ mm}$) with two-part lids

ARTICLE NUMBER ARTICLE **RACKS FOR MIS INSTRUMENTS** 647337 **Rack Mixed Instruments 4 Level** Rack for Instruments and various Applications Compatible with WD 290/WD 390 Dimensions L x W x H = $750 \times 610 \times 670 \text{ mm}$ 6 possible connections for additional manifolds 4 possible connections for application specific Mix Trays Loading capacity • 12 standard trays (L x W = $485 \times 260 \text{ mm}$) Level height H = 110 mm Recommended loading height per level H =100 mm 870088-3 Rack MIS/Instruments Rack for Instruments with Lumens Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 540 mm Loading capacity 6 standard trays (L x W = $485 \times 260 \text{ mm}$) Level height H = 120 mm • Recommended loading height per level H = 110 mm • 106 connections for instruments or adapters 865109 Rack MIS Multitop Rack for Instruments with Lumens Compatible with WD 290/WD 390 Dimensions L x W x H = $750 \times 610 \times 620 \text{ mm}$ • 10 possible connections for additional manifolds 6 possible connections for application specific Mix Trays Loading capacity 5 standard trays (L x W = $485 \times 260 \text{ mm}$) • Level height H = 67 mm Recommended loading height per level H = 55 mmSpace for 4 tube reels 870036-3 Rack MIS Basic Rack for Instruments with Lumens Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 645 mm Loading capacity 4 standard trays (L x W = $485 \times 260 \text{ mm}$) 2 trays for small parts Level height H = 68 mm Recommended loading height per level H = 60 mm Tube tower with 4 connectors for tubes up to 3 m length (2 with Luer Lock, 2 with stepped jet)

18 flush sleeves

22 flush pipes

18 connectors with Luer Lock

8 jets for trocar bolts (4 x Ø 3 mm and 4 x Ø 4 mm)

2 connectors for insufflation needles (Luer Lock)
2 connectors for insufflation needles (fine thread)

ARTICLE NUMBER	ARTICLE
RACKS FOR DA VINCI II	NSTRUMENTS
644986	Rack da Vinci Xi
	Rack for da Vinci Endo Wrist Xi (IS 4000) Instruments from Intuitive Surgical Compatible with WD 290 Dimensions L x W x H = 750 x 610 x 424 mm Compatible EndoWrist Instruments: 8 mm and Stapler Integrated filter system Loading capacity def da Vinci Xi Instruments on lower level Optional extension kit for reprocessing up to 12 da Vinci Xi Instruments
645011	Rack da Vinci Si
	Rack for da Vinci Endo Wrist Si (IS 3000) Instruments from Intuitive Surgical Compatible with WD 290 Dimensions L x W x H = 750 x 610 x 424 mm Compatible EndoWrist Instruments: 5 mm and 8 mm Integrated filter system Loading capacity 6 da Vinci Si Instruments on lower level Optional extension kit for reprocessing up to 12 da Vinci Si Instruments Optional extension kit to reprocess da Vinci Si Stapler Instruments

ARTICLE NUMBER ARTICLE **RACKS FOR ANESTHESIA INSTRUMENTS** 814155 **Rack Anesthesia with Tube Tower** Racks for Anesthesia Instruments and Tubes Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 610 mm With tube tower Loading capacity Tube tower with 21 connections for breathing tubes (6 for children) • 5 suction tubes, maximum length of 1.5 m 5 breathing bags 2 CO, absorbers 3 secretion glasses 5 breathing masks • 5 laryngeal masks 6 catheters 6 endotracheal tubes Space for other varied instruments 870238 **Rack Anesthesia** Rack for Anesthesia Instruments Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 470 mm Without tube tower Loading capacity7 breathing masks 7 endotracheal tubes 5 breathing bags • 10 laryngeal masks • 10 catheters 20 jet connections Space for other varied instruments **RACK FOR DENTAL INSTRUMENTS** 109-8101 **Rack Dental Instruments 64 Jets** Rack for Dental Instruments Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 250 mm Loading capacity • 64 connections for dental instruments

ARTICLE NUMBER ARTICLE **RACKS FOR LABORATORY APPLICATIONS** 870014-3 Rack LAB 64 Jets Rack for Laboratory Applications Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 355 mm Jets included Loading capacity 64 Spring-plugs for jets 870157 Rack LAB 80 Jets Rack for Laboratory Applications Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 350 mm Jets optional Loading capacity • 80 Spring-plugs for jets 817569-3 **Rack LAB Pipettes** Rack for Pipettes Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 312 mm Loading capacity 94 pipettes in a sloped position **RACKS FOR BABY BOTTLES** 813919 **Rack Baby Bottles** Rack for Baby Bottles Compatible with WD 290/WD 390 Dimensions L x W x H = 750 x 610 x 495 mm **Loading capacity** Up to 6 baby bottle inserts Additional level for 2 standard trays • Level height H = 45 mm • 126 jets on 2 levels

0/WD 390								
ACCESSORIES – WD 290/WD 390								
Transport Cart WD 290/WD 390								
Transport Cart for Racks WD 290/WD 390								
 Compatible with WD 290/WD 390 Dimensions L x W = 951 x 728 mm Loading height H = 870 mm Includes docking mechanism May be reprocessed in WD 750/CS 750 								
RFID Set								
RFID Set for Program Identification and Washarm Rotary Control (WRC)								
 2 sets required per Rack Required for WRC option 								
Magnet Holder WRC D16								
Washarm Rotary Control (WRC) Magnet for Washarm $D = \emptyset$ 16 mm								
1 Magnet holder required per washarm								
Magnet Holder WRC D16 IQ								
Washarm Rotary Control (WRC) Magnet for Washarm D = \emptyset 16 mm								
 1 Magnet holder required per washarm Compatible with WD 290 Instrument Racks (Rack Instruments 1/2/3/4/5/6 Level) Compatible with WD 290 Adaptable Instrument Racks (Rack Instruments 4/5 Level Adaptable) 								

		Rack Instruments	Rack Instruments ECO	Rack Containers/Instruments	Rack Mixed Instruments	Rack MIS/Instruments	Rack Anesthesia
ARTICLE NUMBER	ARTICLE						
ACCESSORIES – RACKS/IN 593993-3	DIN Tray 1/1 H50						
393993-3	Tray for Instruments Dimensions L x W x H = 485 x 260 x 50 mm Mesh size = 4 x 4 mm	X	X	X	X	X	
870160	DIN Tray 1/1 H80						
	Tray for Instruments Dimensions L x W x H = 485 x 260 x 80 mm Mesh size = 4 x 4 mm Without lid	X	X	X	X	X	
870161	Lid for DIN Tray 1/1						
	Instrument Tray Lid Dimensions L x W x H = 467 x 242 x 6.5 mm Mesh size = 4 x 4 mm	X	X	X	X	X	
594536	DIN Tray 1/2 H50						
(Allen)	Tray for Instruments Dimensions L x W x H = 243 x 260 x 50 mm Mesh size = 4 x 4 mm	X	X	X	X	X	
678393-3	Tray for Micro Instruments						
C AMPRILLE OF THE PARTY OF THE	Tray with Lid for Micro Instruments Dimensions L x W x H = 485 x 250 x 60 mm Mesh size = 1 x 1 mm	X	X	X	X	X	
888651-3	AN Tray for Small Parts						
	Tray for Small Anesthesia Instrument Parts Dimensions L x W x H = 180 x 100 x 100 mm Mesh size = 4 x 4 mm Maximum 2 trays per Rack Anesthesia	X	X	X	X	X	X

11

ARTICLE NUMBER	ARTICLE	Rack Instruments	Rack Instruments ECO	Rack Containers/Instruments	Rack Mixed Instruments	Rack MIS/Instruments
	ARTICLE					
SYSTEM TRAYS						
110-0539	System Tray DIN Dimensions L x W x H = 472 x 236 x 48 mm 4 flexible silicone supports L = 230 mm Silicone cushions	X	X	X	X	X
110-0540	System Tray 1/2 DIN					
	 Dimensions L x W x H = 236 x 236 x 48 mm 2 flexible silicone supports L = 230 mm Silicone cushions 	X	X	X	X	X
110-0542	System Tray 1/4 DIN					
	 Dimensions L x W x H = 236 x 110 x 48 mm 5 silicone knob supports L = 110 mm Silicone cushions 	X	X	Χ	X	X
110-0545	Silicone Cover System Tray DIN					
	 Dimensions L x W x H = 470 x 236 x 15 mm Flexible silicone grid 	X	X	X	X	X

ARTICLE NUMBER	ARTICLE	Rack Instruments	Rack Instruments ECO	Rack Mixed Instruments	Rack MIS/Instruments	Rack MIS Multitop	Rack MIS Basic	Rack LAB 64 Jets	Rack LAB 80 Jets
	ACCESSORIES – RACKS FOR MIS INSTRUMENTS								
778935-3	MIS Tray								
	Tray with Lid for Detachable MIS Instruments Dimensions L x W x H = 485 x 250 x 65 mm Mesh size = 3 x 3 mm	X	X	X	X	X	X		
772521-3	MIS Tray for Small Parts								
	Tray with Lid for Small MIS Instrument Parts Dimensions L x W x H = 274 x 172 x 42 mm Mesh size = 4 x 4 mm	X	X	X	X	X	X		
870203-3	Cap for Spring-Plug Cap to close Spring-Plugs which are not in use								
					X	X	X	X	X
870038	Jet L90 D4 Spring-Plug								
300	Spring-Plug Jet for Dimensions D = Ø 4 mm, L = 90 mm				X	X	X	X	X
870039	Jet L150 D4 Spring-Plug								
3	Spring-Plug Jet for Dimensions D = Ø 4 mm, L = 150 mm				X	X	X	X	X
870040	Jet L190 D6 Spring-Plug								
	Spring-Plug Jet for Dimensions D = Ø 6 mm, L = 190 mm				X	X	X	X	X

		Rack MIS/Instruments	Rack MIS Multitop	Rack MIS Basic	Rack LAB 64 Jets	Rack LAB 80 Jets
ACCESSORIES PAG	ARTICLE CKS FOR MIS INSTRUMENTS					
870041	Jet L300 D8 Spring-Plug					
	Spring-Plug Jet for • Dimensions D = Ø 8 mm, L = 300 mm	X	X	X	X	X
686429	Plug for MIS Basic Silicone Insert					
	Plug to close Silicone Insert when not in use	X		X		
175892	Jet L30 D3 Silicone Insert Silicone Insert Jet for Dimensions D = Ø 3 mm, L = 30 mm	X		X		
175893	Jet L30 D4 Silicone Insert					
	Silicone Insert Jet for • Dimensions D = Ø 4 mm, L = 30 mm	X		X		
175955	Jet L45 D3 Silicone Insert					
	Silicone Insert Jet for Dimensions D = Ø 3 mm, L = 45 mm	X		X		
175956	Jet L45 D4 Silicone Insert					
	Silicone Insert Jet for Dimensions D = Ø 4 mm, L = 45 mm	X		X		

ARTICLE NUMBER	ARTICLE	Rack MIS/Instruments	Rack MIS Multitop	Rack MIS Basic	Rack Anesthesia
	S FOR MIS INSTRUMENTS				
870043	Jet Multi Diameter Silicone Insert				
	Silicone Insert Jet for Includes different diameters for tubes Dimensions D1 = Ø 4 mm, D2 = Ø 6 mm, D3 = Ø 8 mm, D4 = Ø 10 mm	X		X	
870046	Tube Reel				
	Tube Reel for Reprocessing Tubes		X		
817733	Tube Holder L170				
	Tube Holder for Suction Tubes • Dimension L = 170 mm		X		X
818707	Tube Holder L100				
Q	Tube Holder for Suction Tubes • Dimension L = 100 mm		X		X

ARTICLE NUMBER ACCESSORIES — RAC	ARTICLE CKS FOR LABORATORY APPLICATIONS	Rack LAB 64 Jets	Rack LAB 80 Jets
870206-3	Jet L180 LAB Spring-Plug		
	 Spring-Plug Jet for Dimensions D = Ø 4 mm, L = 180 mm Includes jet attachment for lab applications 	X	X
870212-3	Jet L240 LAB Spring-Plug		
	Spring-Plug Jet for Dimensions D = Ø 6 mm, L = 240 mm Includes jet attachment for lab applications	X	X
870208	Jet L300 LAB Spring-Plug		
	Spring-Plug Jet for Dimensions D = Ø 8 mm, L = 300 mm Includes jet attachment for lab applications	X	X

ARTICLE NUMBER	ARTICLE	Rack Instruments 3 Level ECO	Rack Instruments 4 Level ECO	Rack Instruments 5 Level ECO	Rack Instruments 6 Level ECO
	ACKS FOR INSTRUMENTS				
870094-3	ECO Side Manifold 3 Level				
15°	Side Manifold for 3 Level ECO Rack Maximum 2 side manifolds per rack	X			
870095-3	ECO Side Manifold 4 Level				
THE THE PLAN	Side Manifold for 4 Level ECO Rack Maximum 2 side manifolds per rack		X		
870096-3	ECO Side Manifold 5 Level				
***************************************	Side Manifold for 5 Level ECO Rack Maximum 2 side manifolds per rack			X	
870097	ECO Side Manifold 6 Level				
	Side Manifold for 6 Level ECO Rack Maximum 2 side manifolds per rack				X

ARTICLE NUMBER	ARTICLE	Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO	Large Size Mesh Basket
ACCESSORIES – BASKETS	ANTICLE				
771312	Basket for Small Bowls				
200	 Dimensions L x W x H = 550 x 320 x 120 mm Loading capacity 15 bowls D = Ø 100 mm per basket 2 baskets for WD 290/WD 390 	X	X	X	
769014	Basket for Medium Bowls				
600 /	 Dimensions L x W x H = 550 x 320 x 120 mm Loading capacity 6 bowls D = Ø 160 mm per basket 2 baskets for WD 290/WD 390 	X	X	Χ	
819147-3	Basket for Large Bowls				
	 Dimensions L x W x H = 550 x 335 x 130 mm Loading capacity 2 bowls D = Ø 320 mm per basket 2 baskets for WD 290/WD 390 	X	X	X	
772999	Large Size Mesh Basket				
	Open Basket for Utensils Dimensions L x W x H = 570 x 340 x 185 mm Mesh size = 11 x 11 mm Without lid	X	X	Χ	
771303-3	Large Size Mesh Basket Lid				
	Large Size Mesh Basket Lid to Cover Large Size Mesh Basket Dimensions L x W = 570 x 340 mm Mesh size = 11 x 11 mm				X
771311	Basket Lab 7 x 12				
	Basket with 7 x 12 Bars for Glasses and Utensils Dimensions L x W x H = 550 x 320 x 166 mm Contains 84 bars	X	X	X	

		Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO	Large Size Basket Universal
ARTICLE NUMBER	ARTICLE				
ACCESSORIES – BASKETS					
814650	Basket for Small OR Shoes				
	Basket for OR Shoes up to Size 9/10.5				
	• Dimensions L x W x H = 570 x 340 x 255 mm				
	Loading capacity 15 OR shoes per basket 2 baskets for WD 290/WD 390	X	X	X	
814649	Basket for Large OR Shoes				
	Basket for OR Shoes up to Size 12 Dimensions L x W x H = 570 x 340 x 255 mm Loading capacity 9 OR shoes per basket 2 baskets for WD 290/WD 390	X	X	X	
870050	Large Size Basket Universal				
	Basket for Bowls, Kidney Dishes, and Tablets Dimensions L x W x H = 570 x 340 x 230 mm Included 3 split grid inserts	X	X	X	
870051	Split Grid Insert Large				
	Split Grid Insert for Large Size Basket Universal				X

ARTICLE NUMBER	ARTICLE	Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO
ACCESSORIES – BASKETS				
818999-3	Basket for Kidney Dishes Dimensions L x W x H = 570 x 340 x 158 mm Loading capacity 8 kidney dishes per basket	X	X	X
818213-3	Basket for Tablets			
	 Dimensions L x W x H = 700 x 560 x 190 mm Loading capacity 27 tablets (235 x 150 x 27 mm) per basket or 18 tablets (250 x 200 x 51 mm) per basket 	X	X	X
771313	Basket for OR Light Handles			
	 Dimensions L x W x H = 560 x 225 x 190 mm Loading capacity 8 OR light handles D = Ø 120 mm or 9 OR light handles D = Ø 75 mm 	X	X	X

ARTICLE NUMBER	ARTICLE	Rack da Vinci Si	Rack da Vinci Xi
ACCESSORIES – RACKS	FOR DA VINCI INSTRUMENTS		
645012	da Vinci Si Extension Kit da Vinci Si Instrument Extension Kit Dimensions L x W x H = 560 x 310 x 265 mm Additional capacity to da Vinci Si rack Extension kit may only be used with da Vinci Si rack Loading capacity 6 da Vinci Si instruments	X	
1005297	da Vinci Si Single Site Kit da Vinci Si Instruments Single Site Kit Additional to da Vinci Si racks Single Site kit may only be used with da Vinci Si rack	X	
645370	da Vinci Si Stapler Kit da Vinci Si Instrument Stapler Kit Additional to da Vinci Si racks Stapler kit may only be used with da Vinci Si rack Loading capacity da Vinci Si Stapler	X	
644997	da Vinci Xi Extension Kit da Vinci Xi Instrument Extension Kit Additional capacity to da Vinci Xi racks Extension kit may only be used with da Vinci Xi rack Loading capacity 6 da Vinci Xi instruments		X

ARTICLE NUMBER ACCESSORIES — RACKS FO	ARTICLE P. PARV ROTTLES	Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO	Rack Baby Bottles
817302-3	Basket Baby Bottles 90mL				
	Basket with Lid for Baby Bottles 90 mL • Dimensions L x W x H = 427 x 187 x 114 mm				
	Loading capacity 21 baby bottles, 90 mL Maximum bottle height H = 93 mm Maximum bottle diameter D = Ø 56 mm Up to 6 baskets for WD 290/WD 390	X	X	Χ	X
771287-3	Basket Baby Bottles 125mL				
	Basket with Lid for Baby Bottles 125 mL Dimensions L x W x H = 427 x 187 x 120 mm Loading capacity 21 bottles, 125 mL Maximum bottle height H = 100 mm Maximum bottle diameter D = Ø 56 mm Up to 6 baskets for WD 290/WD 390	X	X	X	X
773843	Basket Baby Bottles 250mL				
	Basket with Lid for Baby Bottles 250 mL Dimensions L x W x H = 427 x 187 x 190 mm Loading capacity 21 bottles, 250 mL Maximum bottle height H = 175 mm Maximum bottle diameter D = Ø 56 mm Up to 6 baskets for WD 290/WD 390	X	X	Χ	X
687860	Basket Baby Bottle Nipples				
	Basket with Lid for Baby Bottle Nipples Dimensions L x W x H = 427 x 187 x 50 mm Mesh size = 10 x 10 mm Ground mesh size = 15 x 15 mm Loading capacity 36 baby bottle nipples Up to 6 baskets for WD 290/WD 390	X	X	X	X

ARTICLE NUMBER ACCESSORIES — RACKS FO	ARTICLE R BABY BOTTLES	Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO	Rack Baby Bottles
817313	Basket Wideneck Baby Bottle Nipples				
	Basket with Lid for Wideneck Baby Bottle Nipples Dimensions L x W x H = 427 x 187 x 61 mm Mesh size = 10 x 10 mm Loading capacity 36 wideneck baby bottle nipples Up to 6 baskets for WD 290/WD 390	X	X	X	X
812260	Basket Baby Bottle Covers				
	Basket with Lid for Baby Bottle Covers Dimensions L x W x H = 427 x 187 x 19 mm Mesh size = 10 x 10 mm Loading capacity 36 baby bottle covers Up to 6 baskets for WD 290/WD 390	X	X	X	X
812060	Basket Milk Pumps				
	Basket with Lid for Milk Pumps Dimensions L x W x H = 427 x 187 x 136 mm Loading capacity 10 milk pumps Up to 6 baskets for WD 290/WD 390	X	X	X	X

		Rack MIS Multitop	Rack Mixed Instru
ARTICLE NUMBER	ARTICLE		
MIX TRAYS			
110-0546	Mix Tray I		
	 Mix Tray I for MIS Instruments Long 2 "Flushing Tubes Mix for Port Adapters" with a total of 12 flushing ports 2 height adjustable instrument lifts to hold instruments in a tilted position Dimensions L x W x H = 530 x 335 x 58 mm Includes L-Key TX25 Loading capacity Each flushing tube contains 5 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm Each flushing tube contains 1 port cap open, D = Ø 4-8 mm, grey, for instruments D = Ø 4-8 mm 	X	X
110-0547	Mix Tray II		
	Mix Tray II for MIS Instruments Short 4 "Flushing Tubes Mix for Port Adapters" with a total of 24 flushing ports 2 height adjustable instrument lifts to hold instruments in a tilted position Dimensions L x W x H = 530 x 335 x 58 mm Includes L-Key TX25 Loading capacity Each flushing tube contains 5 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm Each flushing tube contains 1 port cap open, D = Ø 4-8 mm, grey, for instruments D = Ø 4-8 mm	X	X
110-0548	Mix Tray III		
	Mix Tray III for Eye Instruments 2 "Flushing Tubes for Mix Connector Sets" with "Mix Connector Sets Phaco" with a total of 12 flushing ports 2 "Flushing Tubes Mix Luer Lock" with a total of 12 flushing ports 2 height adjustable instrument lifts to hold instruments in a tilted position Dimensions L x W x H = 530 x 335 x 58 mm Includes L-Key TX25 Includes fine filter with mesh size below 0.08 mm Loading capacity For 6 phaco eye instrument sets, 6 Luer Lock Female (LLF) connectors and 6 Luer Male (LM) connectors Additional 6 Luer Lock Female (LLF) connectors and 6 Luer Lock Male (LLM) connectors	X	X
110-0550	Mix Tray IV		
	Mix Tray IV for Dental Instruments 4 "Flushing Tubes Mix for Dental I" with a total of 24 flushing ports 2 height adjustable instrument lifts to hold instruments in a tilted position Dimensions L x W x H = 530 x 335 x 58 mm Includes L-Key TX25 Loading capacity 12 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm 12 flushing ports for dental instruments	X	X

ARTICLE NUMBER	ARTICLE	Mix Tray I	Mix Tray II	Mix Tray III	Mix Tray IV
MIX TRAYS					
110-0610	Instrument Lift Mix Tray				
- Juneary Line	Height adjustable Instrument Lift To hold instruments in a tilted position Items are the silicone support L = 160 mm With silicone cushions for fixation	X	X	X	X

ARTICLE NUMBER	ARTICLE
RACK PORTS AND FLUSHI	NG MANIFOLDS
110-0523	Connector Rack for Flushing Manifold
	 Rack connector self closing, for flushing manifolds and port adapters Suitable for spring-plug flushing port on the rack
110-0524	Connector Rack M8 for Flushing Manifold
	 Rack connector self closing, for flushing manifolds and port adapters Suitable for M8 port on the rack
110-0526	Flushing Manifold for Port Adapter
	 6 flushing ports with self closing caps, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"
110-0527	Flushing Manifold FX for Port Adapter
	 6 flushing ports with self closing caps, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" With tray fixation (FX) Includes L-Key TX25

ARTICLE NUMBER ARTICLE RACK PORTS AND FLUSHING MANIFOLDS 110-0528 Flushing Manifold for LLF Adapter • 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter • Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" 110-0529 Flushing Manifold FX for LLF Adapter • 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter Silicone tube $D = \emptyset$ 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" With tray fixation (FX) Includes L-Key TX25 110-0530 Manifold FX Filter for LLF Adapter 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" With tray fixation (FX) With integrated filter Includes L-Key TX25 110-0525 Filter Cylinder FX for LLF Adapter 4 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter Silicone tube $D = \emptyset$ 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" With tray fixation (FX) With integrated filter **FLUSHING TUBES**

л д д д д

• 1 port cap open, D = \emptyset 4-8 mm, grey, for instruments D = \emptyset 4-8 mm

Flushing Tube Mix for Port Adapter

Compatible with Mix Trays

26

110-0537

 $\bullet~$ 5 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm

ARTICLE NUMBER	ARTICLE
FLUSHING TUBES	
110-0538	Flushing Tube Mix for LLF Adapter
	6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter Compatible to Mix Trays
6 6 6 6 6	
1005243	Flushing Tube Mix Luer Lock
	 3 Luer Lock Male (LLM) flushing ports 3 Luer Lock Female (LLF) flushing ports Compatible to Mix Trays
1005258	Flushing Tube Mix for Dental I
	 3 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm 3 flushing ports for dental instruments Compatible to Mix Trays
1005260	Flushing Tube Mix for Dental II
	General instruments Compatible to Mix Trays
711111	
1005261	Flushing Tube for Mix Connector Set
	 6 flushing ports D = Ø 3 mm for one "Mix Connector Set" per flushing tube Compatible to Mix Trays
10000	

ARTICLE NUMBER ARTICLE **PRODUCT CONNECTORS** 110-0531 **Product Connector LLM with Port Adapter** • Port adapter suitable for port caps, $D = \emptyset$ 5 mm, green • Luer Lock Male (LLM) connector • Silicone tube $D = \emptyset 4 \text{ mm}$, L = 300 mm110-0532 **Product Connector LLF with Port Adapter** • Port adapter suitable for port caps, $D = \emptyset$ 5 mm, green • Luer Lock Female (LLF) connector • Silicone tube $D = \emptyset 4 \text{ mm}$, L = 300 mm110-0533 **Product Connector 2 x LLF** • 2 Luer Lock Female (LLF) connectors • Silicone tube $D = \emptyset 4 \text{ mm}$, L = 300 mm110-0534 **Product Connector LLF and LLM** • Luer Lock Female (LLF) connector • Luer Lock Male (LLM) connector • Silicone tube $D = \emptyset 4 \text{ mm}$, L = 300 mm**PORT ADAPTERS** 1023228 Port Adapter Module+ grey • 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm • 6 port adapters D = Ø 10 mm Premounted as port adapter Port Adapters can be connected to the port caps Module+

ARTICLE NUMBER

ARTICLE

PORT ADAPTERS

110-0551

Port Adapter D2 Red

- 6 port caps self closing, $D = \emptyset$ 2 mm, red, for instruments up to $D = \emptyset$ 3 mm
- 6 port adapters $D = \emptyset$ 10 mm
- Premounted as port adapter

110-0552



Port Adapter D3 Blue

- 6 port caps self closing, $D = \emptyset$ 3 mm, blue, for instruments up to $D = \emptyset$ 4 mm
- 6 port adapters $D = \emptyset$ 10 mm
- Premounted as port adapter

110-0554



Port Adapter D4-8 Grey

- 6 port caps self closing, D = \emptyset 4-8 mm, grey, for instruments D = \emptyset 3-9 mm
- 6 port adapters $D = \emptyset$ 10 mm
- Premounted as port adapter

110-0555



Port Adapter Caps punched Natural

- 6 port caps punched, natural
- 6 port adapter with tapered jet
- Premounted as port adapter

110-0557



Port Adapter open D8 Natural

- 6 port caps open, $D = \emptyset$ 8 mm, natural, for instruments up to $D = \emptyset$ 9 mm
- 6 port adapters $D = \emptyset$ 10 mm
- Premounted as port adapter

110-0565



Port Adapter open D10 Blue

- 6 port caps open, D = \emptyset 10 mm, blue, for instruments up to D = \emptyset 11 mm
- 6 port adapters $D = \emptyset$ 12 mm
- Premounted as port adapter

ARTICLE NUMBER ARTICLE **PORT ADAPTER** 110-0566 Port Adapter open D4-8 Grey • 6 port caps open, D = \emptyset 4-8 mm, grey, for instruments D = \emptyset 3-9 mm • 6 port adapters $D = \emptyset$ 12 mm Premounted as port adapter 110-0567 Port Adapter LLF • 6 port adapters Luer Lock Female (LLF) with port adapter 110-0568 **Port Adapter LLM** • 6 port adapters Luer Lock Male (LLM) with port adapter 110-0569 Port Adapter Catheter D7 • Port adapter catheter $D = \emptyset$ 7 mm, L = 310 mm, perforated, with port adapter 110-0570 Port Adapter Catheter D10 $\bullet~$ Port adapter catheter D = Ø 10 mm, L = 310 mm, perforated, with port adapter 110-0571 **Port Adapter Phaco** • Double silicone tube 2 x D = \emptyset 2 mm, L = 200 mm with attached port cap • Port adapter $D = \emptyset$ 10 mm Luer Lock Female (LLF) connector · Luer Male (LM) connector • Premounted as port adapter • For phaco eye instrument set

ARTICLE ARTICLE NUMBER **PORT ADAPTER** 110-0572 Port Adapter 2 x LLM • Double silicone tube 2 x D = \emptyset 2 mm, L = 200 mm with attached port cap • Port adapter $D = \emptyset$ 10 mm • 2 Luer Lock Male (LLM) connectors · Premounted as port adapter 110-0573 Port Adapter 2 x D4-8 Grey • Double silicone tube 2 x D = \emptyset 2 mm, L = 200 mm with attached port cap Port adapter D = Ø 12 mm • 2 port caps open, D = \emptyset 4-8 mm, grey, for instruments D = \emptyset 3-9 mm Premounted as port adapter 110-0574 Port Adapter 2 x Tapered Jet • Double silicone tube 2 x D = \emptyset 2 mm, L = 200 mm with attached port cap • Port adapter $D = \emptyset$ 10 mm 2 tapered jets Premounted as port adapter 110-0587 Port Adapter Jet L80 • 3 port adapter jets $D = \emptyset$ 3 mm, L = 80 mm, with port adapter 110-0588 Port Adapter Jet L120 • 3 port adapter jets $D = \emptyset$ 4 mm, L = 120 mm, with port adapter 110-0589 Port Adapter Jet L180 • 3 port adapter jets $D = \emptyset$ 6 mm, L = 180 mm, with port adapter

ARTICLE NUMBER ARTICLE **LLF ADAPTERS** 1023229 LLF Adapter Module+ grey • 6 port caps Module+ open, D = \emptyset 4-8 mm, grey, for instruments D = \emptyset 3-9 mm • 6 port adapters $D = \emptyset$ 10 mm Premounted as LLF adapter Port Adapters can be connected to the port caps Module+ 110-0575 LLF Adapter D2 Red • 6 port caps self closing, $D = \emptyset$ 2 mm, red, for instruments up to $D = \emptyset$ 3 mm • 6 LLF port adapters $D = \emptyset$ 10 mm Premounted as LLF adapter 110-0576 LLF Adapter D3 Blue - 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm 6 LLF port adapters D = Ø 10 mm Premounted as LLF adapter 110-0577 LLF Adapter D5 Green • 6 port caps self closing, D = \emptyset 5 mm, green, for port adapters and instruments up to D = \emptyset 6 mm 6 LLF port adapters $D = \emptyset$ 10 mm Premounted as LLF adapter 110-0578 LLF Adapter D4-8 Grey • 6 port caps self closing, D = \emptyset 4-8 mm, grey, for instruments D = \emptyset 3-9 mm • 6 LLF port adapters D = Ø 10 mm Premounted as LLF adapter 110-0579 LLF Adapter Cap punched Natural • 6 port caps punched, natural • 6 LLF port adapters with tapered jet Premounted as LLF adapter 110-0580 LLF Adapter open D8 Natural • 6 port caps open, $D = \emptyset$ 8 mm, natural, for instruments up to $D = \emptyset$ 9 mm 6 LLF port adapters $D = \emptyset$ 10 mm Premounted as LLF adapter

ARTICLE NUMBER ARTICLE **LLF ADAPTERS** 110-0581 LLF Adapter open D10 Blue • 6 port caps open, D = \emptyset 10 mm, blue, for instruments up to D = \emptyset 11 mm • 6 LLF port adapters $D = \emptyset$ 12 mm Premounted as LLF adapter 110-0582 LLF Adapter open D4-8 Grey • 6 port caps open, $D = \emptyset$ 4-8 mm, grey, for instruments $D = \emptyset$ 3-9 mm • 6 LLF port adapters $D = \emptyset$ 12 mm Premounted as LLF adapter 110-0583 **LLF Adapter Phaco** • Double silicone tube 2 x D = \emptyset 2 mm, L = 200 mm with attached port cap LLF port adapter D = Ø 10 mm • Luer Lock Female (LLF) connector • Luer Male (LM) connector Premounted as LLF adapter For phaco eye instrument set 110-0584 LLF Adapter 2 x LLM • Double silicone tube 2 x D = \emptyset 2 mm, L = 200 mm with attached port cap LLF port adapter D = Ø 10 mm 2 Luer Lock Male (LLM) port Premounted as LLF adapter 110-0585 LLF Adapter 2 x D4-8 Grey • Double silicone tube 2 x D = \emptyset 2 mm, L = 200 mm with attached port cap • LLF port adapter $D = \emptyset$ 12 mm • 2 port caps open, D = \emptyset 4-8 mm, grey, for instruments D = \emptyset 3-9 mm Premounted as LLF adapter 110-0586 LLF Adapter 2 x Tapered Jet • Double silicone tube 2 x D = \emptyset 2 mm, L = 200 mm with attached port cap • LLF port adapter $D = \emptyset$ 10 mm 2 tapered jets Premounted as LLF adapter

ARTICLE NUMBER ARTICLE REPLACEMENT PARTS 110-0645 Replacement Standard Filtration Blue • 3 filter sets with each 1 filter and 1 silicone ring, blue • Standard filtration for lumened instruments Mesh size 0.13-0.14 mm 110-0590 **Replacement Fine Filtration Red** • 3 filter sets with each 2 filters and 1 silicone ring, red • Fine filtration for lumened instruments with high requirements Mesh size below 0.08 mm 1023230 Replacement Port Caps Module+ grey • 6 port caps Module+ open, D = \emptyset 4-8 mm, grey, for instruments D = \emptyset 3-9 mm • Suitable for port adapter $D = \emptyset$ 10 mm 110-0592 Replacement Port Caps D2 Red • 6 port caps self closing, $D = \emptyset$ 2 mm, red, for instruments up to $D = \emptyset$ 3 mm • Suitable for port adapter $D = \emptyset$ 10 mm 110-0593 Replacement Port Caps D3 Blue • 6 port caps self closing, $D = \emptyset$ 3 mm, blue, for instruments up to $D = \emptyset$ 4 mm Suitable for port adapter $D = \emptyset$ 10 mm 110-0594 Replacement Port Caps D5 Green • 6 port caps self closing, D = \emptyset 5 mm, green, for port adapters and instruments up to D = \emptyset 6 mm • Suitable for port adapter $D = \emptyset$ 10 mm and flushing manifold 110-0596 **Replacement Port Caps D4-8 Grey** • 6 port caps self closing, D = \emptyset 4-8 mm, grey, for instruments D = \emptyset 3-9 mm • Suitable for port adapter $D = \emptyset$ 10 mm

ARTICLE NUMBER	ARTICLE
REPLACEMENT PARTS	
110-0597	Replacement Port Caps punched Natural
1511 14 14 15 15 15	6 port caps punched, natural Suitable for port adapter cap punched natural
CACACACACACAC	
110-0598	Replacement Port Caps open D8 Natural
	 6 port caps open, D = Ø 8 mm, natural, for instruments up to D = Ø 9 mm Suitable for port adapter D = Ø 10 mm
110-0599	Replacement Port Caps open D10 Blue
	 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm Suitable for port adapter D = Ø 12 mm
110-0646	Replacement Port Caps open D4-8 Grey
	 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm Suitable for port adapter D = Ø 12 mm
1005262	Mix Connector Set Phaco
AMA	 3 Luer Lock Female (LLF) connectors 3 Luer Male (LM) connectors 6 silicone tubes D = Ø 2 mm Compatible to "Flushing Tube for Mix Connector Set"
90 9000	
1005263	Silicone Tubes Mix Connector Set
ALBING BENEFICE	Replacement silicone tubes to "Mix Connector Set"
	 12 silicone tubes D = Ø 2 mm x 100 mm Suitable for 2 Mix Connector Sets Suitable for 1 Mix Tray III for Eye Instruments

35

WD 290/WD 390 - RACK ACCESSORIES


ARTICLE NUMBER	ARTICLE
REPLACEMENT PARTS	
110-0601	Replacement Silicone Tubes L300
	 10 silicone tubes, D = Ø 4 mm, L = 300 mm Suitable for "Product Connectors"
110-0602	Replacement Silicone Tubes L200
06866	 5 double silicone tubes 2 x D = Ø 2 mm, L = 200 mm, with attached port cap With silicone tube cuffs Suitable for adapters
110-0603	Replacement Silicone Tubes L600
	 5 silicone tubes D = Ø 6 mm, L = 600 mm Suitable for "Flushing Manifolds" and "Filter Cylinder"
1005264	Replacement Silicone Tubes L2000
10	 1 silicone tube D = Ø 4 mm, L = 2000 mm Suitable for "Product Connectors" for individual length
110-0604	Replacement Silicone Supports L230
	 4 flexible silicone supports L = 230 mm Includes mounting Suitable for one "System Tray DIN" Suitable for two "System Trays 1/2 DIN"

ARTICLE NUMBER ARTICLE **REPLACEMENT PARTS** 110-0605 **Replacement Silicone Supports L110** • 5 silicone knob supports L = 110 mm • Suitable for two "System Trays 1/4 DIN" шинин 110-0606 Replacement Silicone Supports L160 • 4 flexible silicone supports L = 160 mm • Suitable for one "Mix Tray" with 2 instrument lifts 110-0607 **Replacement Silicone Cushions** • 10 silicone cushions Suitable for trays and other applications 110-0608 Replacement Silicone Tray Fixation • 10 silicone elements • Suitable for fixation of cassettes within a "System Tray" or "Mix Tray" 110-0609 Replacement Silicone Flaps Mix • 4 silicone flaps for Mix Tray connector Suitable for Rack MIS Multitop and Rack Mixed Instruments





Notes



International headquarters Switzerland

Belimed AG Headquarter Grienbachstrasse 11 6300 Zug Phone +41-41-449-7888 info@belimed.com

Germany

Belimed GmbH Edisonstraße 7a 84453 Mühldorf am Inn Phone +49-8631-9896-0 info.de@belimed.com

France

Belimed SAS
Parc Espale
1, av. Pierre Pflimlin
68390 Sausheim
Phone +33-3-8963-6540
info.fr@belimed.com

Great Britain

Belimed Ltd.
Unit 4, Newbuildings Place
Dragons Green Road
Shipley (Horsham)
West Sussex, RH13 8GQ
Phone+44-1403-738-811
info.uk@belimed.com

Netherlands

Belimed B.V. Vlambloem 65 3068 JG Rotterdam Phone +31-10-286-1750 info.nl@belimed.com

Austria

Belimed GmbH Triesterstraße 238 8073 Feldkirchen Phone+43-316-291129-0 info.at@belimed.com

USA

Belimed, Inc.
Corporate Office Address
1535 Hobby Street
Suite 103
US-Charleston, SC 29405
Phone +1-843-216-7424
info.us@belimed.com

China

Belimed Medical Equipment (Shanghai) Co., Ltd. New Jinqiao Road #1299, 1st Building, 2nd Floor 201206 Pudong, Shanghai Phone +86-21-601-909-98 info.cn@belimed.com

Represented by:							