

# The new MPO nursing and storage trolleys – enhancing healthcare.

Modular. Versatile. Individual.





# One transportation trolley, a thousand possibilities – the modular MPO system.

In the healthcare sector, nursing trolleys, dressing trolleys and medication trolleys have to fulfil a wide range of requirements. ZARGES modular nursing and organisation trolleys can be perfectly tailored for any applications based on your specific requirements.



1 Worktop options. ABS plastic with or without raised edges, or flat HPL plastic. 2 Ergonomic handle. Plastic-coated cast aluminium for comfortable handling, easy to clean. 3 Side wall. Available with coloured centre segment. 4 Bumpers. Abrasion- and disinfectant-resistant plastic padding. 5 Castors. 4 precision twin-wheel swivel castors, Ø 125 mm, for maximum mobility in confined spaces, 2 of which with brakes; bumper available as an option. 6 Corner profiles. Made of anodised aluminium. 7 Trolley base. Made of sturdy plastic panel. 8 Drawer handle. Plastic-coated cast aluminium for convenient handling, easy to clean with optional colour coding.



#### **Drawers**

Suitable for ZARGES ISO modules, mounted on telescopic rails.



## Rolling tambour doors with support wall

Suitable for ZARGES ISO modules and modular drawers, mounted on the plastic support wall, space-saving door option.



## Rolling tambour doors with variable telescopic rails

Suitable for ZARGES ISO modules and modular drawers, mounted on telescopic soft-close rails.



Open, with modular drawers

Mounted on telescopic rails and removable.

# Configure the perfect trolley for your needs – the available options.

In addition to a wide range of tried-and-tested standard models, all nursing and organisation trolleys can be configured to suit your everyday needs. The options include everything from the choice between drawer fronts and rolling tambour doors right through to support systems for slide-in units.

The support systems can be adapted to your specific requirements, and the worktops are available with various combinations of material and functions. We will be happy to help you find the right solution.



RAL 9016, Traffic white



RAL 240 70 30, Blue



RAL 140 60 50, Green



RAL 095 80 80, Yellow



RAL 030 40 60, Red

### **Worktops**



### Plastic ABS with raised edges

- Removable without tools.
- Available only for 1 ISO.



### **ABS** plastic without raised edges

- Removable without tools.
- Available only for 1 ISO.



### **HPL** plastic without raised edges

- Fixed.
- Available for 1 and 0.5 ISO.

### **Locking systems**



### Cylinder lock

- Keyed alike.
- Available for drawers and rolling tambour doors.
- Available as keyed different.




### Digital lock

- Programmable code.
- Available for rolling tambour doors.



#### Card lock

- Available for drawers and rolling tambour doors.
- Individually programmable.



For more information, see pages 22-23.

NEW





## MPO nursing trolley with drawers Type 1

Equipped with drawers to accommodate modules and modular baskets.



## MPO nursing trolley with rolling tambour door Type 2

ZARGES modules can be fitted on the support walls or telescopic rails as desired.





MPO anaesthesia trolley Type 1

Modular drawers mounted on support wall.



MPO anaesthesia trolley Type 2

Equipped with drawers to accommodate modules or modular baskets.





### MPO medication trolley Type 1

MPO transportation trolley for medication tray. ZARGES modules and medication trays can be fitted on the support walls as desired.



## MPO medication trolley Type 2

Can be fitted with ZARGES modules as desired.



## MPO medication trolley Type 3

Equipped with drawers to accommodate modules and modular baskets.





## MPO emergency trolley Type 1

Equipped with drawers to accommodate ISO standard modules. Can also be adapted for modules and modular baskets.



## MPO emergency trolley Type 2

Equipped with drawers to accommodate ISO standard modules. Can also be adapted for modules and modular baskets.





## MPO dressing trolley Type 1

MPO trolley, 0.5 ISO wide. Equipped with drawers for half modules.



## MPO dressing trolley Type 2

MPO trolley, 0.5 ISO wide. Equipped with drawers for half modules.

# Exceptional versatility – tool-free installation of accessories.

Besides a wide range of tried-and-tested standard models, all MPO trolleys can be tailored to your individual needs. You can easily add and remove accessories on your own without the need for any tools.



# Accessories - equipped for any task.

The MPO trolley can be modified with a wide range of accessories in next to no time to suit any applications.



Corner post Order no. 46099



Standard side rail Order no. 46488, 46490



Standard rail for the rear wall Order no. 46169



Bar structure Order no. 46418



Standard rail for bar structure Order no. 46494



Extension for bar structure Order no. 46419



Extension set for bar structure Order no. 46497



Universal dispenser, 500 ml with drip tray Order no. 46153



Glove box holder, single-tier Order no. 46168



Glove box holder, three-tier Order no. 46170



Wire rack for glove box, three-tier Order no. 46331



Wire rack for glove box, single-tier Order no. 46332



Foot-operated waste collector with lid Order no.46229, 46496



Waste container without lid Order no. 46163, 46487



Holder for half module Order no. 46439



Document holder Order no. 46253



Holder Order no. 46335



Holder for cannula container Order no. 46152



ZIP box holder, three-tier Order no. 46333



Wire basket for standard rails Order no. 46334



Syringe dispenser Order no. 46364, 46365



Syringe dispenser (FIFO) Order no. 46348, 46349



Cathether container Order no. 46391



1 set of mounting hooks Order no. 46247



Foldable HPL worktop Order no. 46489



Foldable ABS worktop Order no. 46154



Resuscitation board Order no. 46491



Oxygen tank holder Order no. 46492



Instrument tray with slit on lid Order no. 46493



X-ray envelope holder Order no. 46339



Tray with swivel arm Order no. 46495



Infusion holder Order no. 46381

# Well stocked in every situation: MPO storage trolleys.

It is important to ensure you have the right amount of the required supplies in the right place and at the right time. The MPO storage trolley is able to help you achieve just that. It meets hygiene requirements and is easy to clean because its rolling tambour doors and all its fittings can be removed individually and without the use of tools. The materials used (aluminium, plastic and ABS) guarantee sturdiness and a long service life.



# A detailed look at the MPO supply trolley.



1 Corner profiles. Ergonomically shaped, anodised aluminium profile sections. 2 Front panel. Anodised aluminium, can be fitted without tools, can be supplied with cylinder, combination or card lock. 3 Interior fittings. Modular drawers, modular baskets and shelf compartmentscan be installed as required on plastic support walls and telescopic rails. 4 Trolley base. Made from sturdy PPH plastic panel without undercut, easy to clean. 5 Side walls and rear wall. Made of plastic-coated aluminium, white, available in other colours. 6 Chassis. 4 twin-wheel swivel castors with Ø 125 mm, 2 of which with wheel brakes.
7 Rolling tambour door. Space-saving plastic rolling tambour door that can be removed for cleaning without the use of tools.

# Modular support elements provide maximum flexibility.



### MPO storage trolley - standard model

- Plastic support walls throughout.
- Suitable for ZARGES ISO modules and modular drawers.



### MPO storage trolley - combination model

- Can be combined with plastic support wall and hook-on telescopic rails.
- Suitable for ZARGES ISO modules, modular drawers and pull-out shelf compartment.

# **Door options.**



### Rolling tambour door

- ▶ Rolling tambour door helps save space.
- Can be removed for cleaning without the use of tools.





#### Glass door

- keeps items in sight and readily accessible.
- Door frame made of sturdy aluminium profiles.
- Tempered safety glass compliant with DIN EN 12150 for high resistance to shock and impact.

# MPO with glass door. Keeps items in sight and readily accessible.



the all-round aluminium frame.



#### Sturdy and functional

Due to flat hinges that are adjustable in three directions.



#### Mobile storage

- Modular support walls provide maximum flexibility.
- The colours of the side and rear walls are customisable.





#### Secure storage

With optional lock systems.



#### Comfort

Due to ergonomic handle made of anodised aluminium. Door opens up to approx. 170 degrees.



### Items are kept perfectly in sight

Thanks to tempered safety glass.



#### Optimum mobility

Due to four plastic twin-wheel castors, two of which equipped with brakes; corner bumpers available as an option.

- Door frame made of sturdy aluminium profiles.
- Tempered safety glass compliant with DIN EN 12150 for high resistance to shock and impact.
- Door opens up to approx. 170 degrees.
- Door is fitted with versatile flat hinges that allow it to be adjusted in three directions.

#### Configurable trolley interior

- ▶ ABS support walls with or without tilting function.
- Telescopic rails that can be fitted as required.
- Telescopic rails for fixed installation.

### And most crucially: it's a tried-and-tested solution.



Vertical trolley handle





Locking systems can be fitted with a cylinder, digital or card lock.

# Your options.



1 ISO Module width 600 mm



1 ISO Module width 400 mm



2 ISO Module width 2×600 mm



2 ISO Module width 2×400 mm



Select one of the standard colours.



RAL 9016, Traffic white



RAL 140 60 50, Green



RAL 095 80 80, Yellow



RAL 240 70 30, Blue




RAL 030 40 60, Red

# **Everything you need:** available in various sizes.

	ISO widths			
	1 ISO		2 ISO	
Heights	400 mm deep	600 mm deep	400 mm deep	600 mm deep
750 mm				
Order no.	46523	46524	-	-
Outside dimensions, L×W×H, approx. mm	685 × 556 × 750	$485 \times 756 \times 750$	-	-
Weight, approx. kg	31.5	33.0	-	-
900 mm				
Order no.	46530	46531	46532	46533
Outside dimensions, L×W×H, approx. mm	685 × 556 × 900	485 × 756 × 900	1,345 × 556 × 900	945 × 756 × 900
Weight, approx. kg	33.0	34.5	58.5	61.0
1,000 mm				
Order no.	46534	46535	46536	46537
Outside dimensions, L × W × H, approx. mm	685 × 556 × 1,000	$485 \times 756 \times 1,000$	1,345 × 556 × 1,000	$945 \times 756 \times 1,000$
Weight, approx. kg	34.5	35.0	62.5	62.5
1,100 mm				
Order no.	46538	46539	46540	46541
Outside dimensions, L × W × H, approx. mm	685 × 556 × 1,100	485 × 756 × 1,100	1,345 × 556 × 1,100	945 × 756 × 1,100
Weight, approx. kg	36.5	36.0	65.5	62.5
1,500 mm	G	G	G	G
Order no.	46542	46543	46544	46545
Outside dimensions, L×W×H, approx. mm	685 × 556 × 1,500	485 × 756 × 1,500	1,345 × 556 × 1,500	945 × 756 × 1,500
Weight, approx. kg	42.5	46.5	75.0	79.5
1,800 mm	G	G	G	G
Order no.	46546	46547	46548	46549
Outside dimensions, L × W × H, approx. mm	685 × 556 × 1,800	485 × 756 × 1,800	1,345 × 556 × 1,800	945 × 756 × 1,800
Weight, approx. kg	48.5	53.5	85.5	91.0


G = Glass door

# The perfect combination: MPO and ZARGES support wall.



Leading the way in ergonomics: Depending on the height of use, the baskets can be pulled out horizontally or in a tilted position. The innovative roller rail ensures smooth action.







# Digital locking systems – impeccable security for any requirement.



### Our solution to meet your needs.

- Our digital locking systems are open solutions. This means existing systems and key cards can be integrated without any issues.
- Effortless installation and commissioning.
- All essential information and access rights are stored on a key card.
- Scalable according to needs and organisation size from simple solutions that operate without software to software-enabled full solutions.
- Activity logging can be enabled.
- Existing locking systems and key cards can continue to be used.




# Many systems, one solution. Packages

### Package 1 "Standalone solution"

The lock can be programmed using a master card without any software – this solution is suitable for small buildings. Any changes to the locking system (for example, in the event of the loss of a key card) must be made directly on the lock itself. The system can be retrofitted with programming capability and software at any time.

### Package 2 "Island solution"

The solution for greater overview: A smart software application is used to allow programming to be done using a laptop. Data is transferred using a wireless communication device or an update terminal. The locks are not integrated into the overall access control.



### Package 3 "All-in-one solution"

The comprehensive solution: A terminal is used to ensure individual staff members always have up-to-date access rights; this should ideally be combined with access control or time tracking. Data is stored on a key card and transmitted to the terminal at the end of a workday. This allows you to retrace who has used which cabinet.



For more than 85 years, the brand name ZARGES has been synonymous with premium quality and continuous innovation. As an innovation leader, we are constantly improving our range and creating solutions and products that are consistently tailored to your needs. And good ideas always come from closely working together with you, the customer.

Our aim is to always provide you, the professional, with the right solution for any requirement. For your safety and efficiency.

More information on MPO nursing and storage trolleys at **www.zarges-medical.com** 

